

PRODUCT-DETAILS

LD2-D

2 POLE LUMINAIRE BULK PACK



General Information

Extended Product Type	LD2-D
Product ID	7TAI029930R0001
EAN	0786209869715
Catalog Description	2 POLE LUMINAIRE BULK PACK
Long Description	2-Pole Luminaire Disconnect with Polycarbonate housing and Insulated 18 AWG Solid Copper Leads, Bulk Pack

Ordering

EAN	0786209869715
UPC	786209869715
Country of Origin	Taiwan, Province Of China (TW)
Customs Tariff Number	8536908585
Selling Unit of Measure	each

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	20 in 508 mm
Package Level 1 Depth / Length	10 in 254 mm

Package Level 2 Units	250 piece
Package Level 2 Width	11.5 in 292 mm
Package Level 2 Height	14 in 356 mm
Package Level 2 Depth / Length	21 in 533 mm
Package Level 3 Units	500 piece
Package Level 3 Width	20 in 508 mm
Package Level 3 Height	13.5 in 343 mm
Package Level 3 Depth / Length	18 in 457 mm

Additional Information

Brand / Label	Sta-Kon
Color	Orange
Current Rating	4 A
Effective Date	20061006
Material	Brass
Product Name	"electrical con, splice, disconnect"
Product Type	Luminaire Disconnect
Special Functions	Oversized electrical contacts improve conductivity and reduce temperature rise. Integral wire leads ease installation. Fool-proof design enables mating halves to be installed in only one way. Finger-safe line side prevents installer from touching hot contacts. Rounded compact design small enough to be used in compact applications - fits through 1/2 knockout."
Standards	UL E307134
Surface Finishing	Tin Plated
Voltage Rating	600 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	LD2-D
Instructions and Manuals	LD2-D

Classifications

ETIM 6	EC000458 - Connector for luminaire
ETIM 7	EC000458 - Connector for luminaire
ETIM 8	EC000458 - Connector for luminaire
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

