

PRODUCT-DETAILS

## D8-38

## NONINS BS RNG TERM No8 AWG 3/8 BOLT



General Information	
Extended Product Type	D8-38
Product ID	7TAI029580R0023
EAN	5414363150152
Catalog Description	NONINS BS RNG TERM No8 AWG 3/8 BOLT
Long Description	Non-Insulated Large Brazed Seam Ring Terminal, Length 1.32 Inches, Width .59 Inches, Bolt Hole 3/8 Inch, Wire Range #8 AWG, Copper, Tin Plated

Ordering	
EAN	5414363150152
UPC	786210804491
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	25 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	2.9 in 74 mm
Package Level 1 Depth / Length	2.09 in 53 mm

Package Level 2 Units	125 piece
Package Level 2 Width	9.75 in
	248 mm
Package Level 2 Height	8.75 in
	222 mm
Package Level 2 Depth /	15.25 in
Length	387 mm
Package Level 3 Units	1250 piece

Additional Information	
Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19711214
Material	Copper
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indentor or double indentor (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	8 AWG

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	D8-38
Instructions and Manuals	D8-38

Classifications	
ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$ 

D8-38 3

