

PRODUCT-DETAILS

# RC10-14

## INS NYL RNG TERM 12-10 BOLT 1/4 YEL



### General Information

Extended Product Type	RC10-14
Product ID	7TAI029810R0020
EAN	5414363159087
Catalog Description	INS NYL RNG TERM 12-10 BOLT 1/4 YEL
Long Description	Nylon Insulated Ring Terminal, Length 1.12 Inches, Width .53 Inches, Maximum Insulation .210, Bolt Hole 1/4 Inch, Wire Range #12-#10 AWG, Color Yellow, Copper, Tin Plated

### Ordering

EAN	5414363159087
UPC	786210804422
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.3 in 33 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth /	2.5 in

Length	64 mm
Package Level 2 Units	250 piece
Package Level 2 Width	9.3 in 236 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	15 in 381 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	8.2 in 208 mm
Package Level 3 Height	10 in 254 mm
Package Level 3 Depth / Length	11.9 in 302 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Yellow
Effective Date	19751006
Material	Copper
Product Name	"Electrical terminal,<1000v"
Product Type	Nylon Insulated Ring Terminal
Special Functions	Self-insulated with high dielectric-strength nylon sleeves. An inner bronze insulation grip sleeve lengthens the flexing radius of the conductor and eliminates conductor creep.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	12-10 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RC10-14
Instructions and Manuals	RC10-14

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

