

PRODUCT-DETAILS

F4-516

NON-INS - BS RING TERM, 4, 5/16, ME



General Information

Extended Product Type	F4-516
Product ID	7TAI029580R0033
EAN	5414363151258
Catalog Description	NON-INS - BS RING TERM, 4, 5/16, ME
Long Description	Non-Insulated Large Brazed Seam Ring Terminal, Length 1.35 Inches, Width .60 Inches, Bolt Hole 5/16 Inch, Wire Range #4 AWG, Copper, Tin Plated, 20 Pack

Ordering

EAN	5414363151258
UPC	786210803647
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	2.9 in 74 mm
Package Level 1 Depth / Length	2.09 in 53 mm

Package Level 2 Units	100 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	8.9 in 226 mm
Package Level 2 Depth / Length	15.1 in 384 mm
Package Level 3 Units	1000 piece
Package Level 3 Width	7.1 in 180 mm
Package Level 3 Height	9.3 in 236 mm
Package Level 3 Depth / Length	10.6 in 269 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19711214
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	4 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	F4-516
Instructions and Manuals	F4-516

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

