

PRODUCT-DETAILS

RA18-250F

INS NYL FEM-250 DISC 22-18 LEN .91



General Information

Extended Product Type	RA18-250F
Product ID	7TAI029690R0010
EAN	5414363135135
Catalog Description	INS NYL FEM-250 DISC 22-18 LEN .91
Long Description	Nylon Insulated Female Disconnect, Length .91 Inches, Width .29 Inches, Maximum Insulation .136, Tab Size .250x.032, Wire Range #22-#18, Color Red, Copper, Tin Plated

Ordering

EAN	5414363135135
UPC	786210874197
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.3 in 33 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	2.5 in 64 mm

Package Level 2 Units	500 piece
Package Level 2 Width	10.4 in 264 mm
Package Level 2 Height	8.3 in 211 mm
Package Level 2 Depth / Length	12.4 in 315 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	10.1 in 257 mm
Package Level 3 Height	8 in 203 mm
Package Level 3 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	19750203
Insulation Material	Nylon/Polyamide
Material	Brass
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RA18-250F
Instructions and Manuals	RA18-250F

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
ETIM 8	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

