

PRODUCT-DETAILS

C10-8-SK

NON-INS RING TERM 12-10 No8 METAL



General Information

Extended Product Type	C10-8-SK
Product ID	7TAI029580R0020
EAN	5414363148968
Catalog Description	NON-INS RING TERM 12-10 No8 METAL
Long Description	Non-Insulated Ring Terminal, Length .82 Inches, Width .31 Inches, Bolt Hole #8, Wire Range #12-#10 AWG, Copper, Tin Plated

Ordering

EAN	5414363148968
UPC	786210803432
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	2.63 in 67 mm

Package Level 2 Units	250 piece
Package Level 2 Width	8.7 in 221 mm
Package Level 2 Height	7.2 in 183 mm
Package Level 2 Depth / Length	10.4 in 264 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	6.9 in 175 mm
Package Level 3 Height	5.4 in 137 mm
Package Level 3 Depth / Length	8.39 in 213 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19960423
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	12-10 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	C10-8-SK
Instructions and Manuals	C10-8-SK

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

