

PRODUCT-DETAILS

B14-14

NON-INS RING TERM 18-14 BOLT 1/4



General Information

Extended Product Type	B14-14
Product ID	7TAI029580R0010
EAN	5414363148401
Catalog Description	NON-INS RING TERM 18-14 BOLT 1/4
Long Description	Non-Insulated Ring Terminal, Length .93 Inches, Width .50 Inches, Bolt Hole 1/4 Inch, Wire Range #18-#14 AWG, Copper, Tin Plated

Ordering

EAN	5414363148401
UPC	786210803289
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	2.63 in 67 mm

Package Level 2 Units	500 piece
Package Level 2 Width	9 in 229 mm
Package Level 2 Height	7.1 in 180 mm
Package Level 2 Depth / Length	10.4 in 264 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	8.5 in 216 mm
Package Level 3 Height	6.6 in 168 mm
Package Level 3 Depth / Length	10.3 in 262 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19750820
Material	Copper
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	18-14 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	B14-14
Instructions and Manuals	B14-14

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

