

PRODUCT-DETAILS

RB14-8

INSNYL RING TERM 18-14 BLT No8 BLUE



General Information

Extended Product Type	RB14-8
Product ID	7TAI029810R0014
EAN	5414363131953
Catalog Description	INSNYL RING TERM 18-14 BLT No8 BLUE
Long Description	Nylon Insulated Ring Terminal, Length .89 Inches, Width .31 Inches, Maximum Insulation .162, Bolt Hole #8, Wire Range #18-#14 AWG, Color Blue, Copper, Tin Plated

Ordering

EAN	5414363131953
UPC	786210804071
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth / Length	2.09 in 53 mm

Package Level 2 Units	500 piece
Package Level 2 Width	9.3 in 236 mm
Package Level 2 Height	9 in 229 mm
Package Level 2 Depth / Length	14.9 in 378 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	7.1 in 180 mm
Package Level 3 Height	9.1 in 231 mm
Package Level 3 Depth / Length	10.6 in 269 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Effective Date	19750108
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Ring Terminal
Special Functions	Self-insulated with high dielectric-strength nylon sleeves. An inner bronze insulation grip sleeve lengthens the flexing radius of the conductor and eliminates conductor creep.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	18-14 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RB14-8
Instructions and Manuals	RB14-8

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

