

PRODUCT-DETAILS

2RBS14X

HEAT-SHR BUTT SPLICE 16-14 LEN 1.5



General Information

Extended Product Type	2RBS14X
Product ID	7TAI029890R0000
EAN	5414363140597
Catalog Description	HEAT-SHR BUTT SPLICE 16-14 LEN 1.5
Long Description	Heat Shrinkable Butt Splice, Length 1.50 Inches, Width .26 Inches, Maximum Insulation Diameter .200, Wire Range #16-#14 AWG, Color Blue, Copper, Tin Plated

Ordering

EAN	5414363140597
UPC	786210703275
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	50 piece
Package Level 2 Units	500 piece
Package Level 2 Width	3.8 in 97 mm
Package Level 2 Height	7.1 in 180 mm
Package Level 2 Depth /	5.4 in

Length	137 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	8.2 in 208 mm
Package Level 3 Height	10.4 in 264 mm
Package Level 3 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Sta-Kon
Color	Blue
Effective Date	19870528
Material	Copper
Product Name	ELECTRICAL SPLICE
Product Type	Heat Shrinkable Butt Splice
Special Functions	Self-insulated with heat-shrinkable polyolefin and internally coated sealant. Upon completed installation, a fully sealed connection is achieved to protect the joint against the degrading effects of galvanic action, corrosion, and environmental exposure.
Surface Finishing	Electro -Tin Plated
Temperature Range	150 °C
Voltage Rating	600 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2RBS14X
Instructions and Manuals	2RBS14X

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
ETIM 8	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

