

PRODUCT-DETAILS

A18-8

NONINS RING TERM, 22-16, No8, METAL



General Information

Extended Product Type	A18-8
Product ID	7TAI029580R0007
EAN	5414363147169
Catalog Description	NONINS RING TERM, 22-16, No8, METAL
Long Description	Non-Insulated Ring Terminal, Length .75 Inches, Width .31 Inches, Bolt Hole #8, Wire Range #22-#16 AWG, Copper, Tin Plated

Ordering

EAN	5414363147169
UPC	786210803005
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	2.63 in 67 mm

Package Level 2 Units	500 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	8.9 in 226 mm
Package Level 2 Depth / Length	15.1 in 384 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	6.9 in 175 mm
Package Level 3 Height	5.4 in 137 mm
Package Level 3 Depth / Length	8.39 in 213 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19710910
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Ring Terminal
Special Functions	These non-insulated ring terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	22-16 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	A18-8
Instructions and Manuals	A18-8

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

