

PRODUCT-DETAILS

# RA18-10

## INSNYL RING TERM 22-16 BLT No10 RED



### General Information

Extended Product Type	RA18-10
Product ID	7TAI029810R0003
EAN	5414363131908
Catalog Description	INSNYL RING TERM 22-16 BLT No10 RED
Long Description	Nylon Insulated Ring Terminal, Length .89 Inches, Width .31 Inches, Maximum Insulation .136, Bolt Hole #10, Wire Range #22-#16 AWG, Color Red, Tin Plated

### Ordering

EAN	5414363131908
UPC	786210803913
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth / Length	2.09 in 53 mm

Package Level 2 Units	500 piece
Package Level 2 Width	9.5 in 241 mm
Package Level 2 Height	8.8 in 224 mm
Package Level 2 Depth / Length	15 in 381 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	7.2 in 183 mm
Package Level 3 Height	8.89 in 226 mm
Package Level 3 Depth / Length	10.4 in 264 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	19750108
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Ring Terminal
Special Functions	Self-insulated with high dielectric-strength nylon sleeves. An inner bronze insulation grip sleeve lengthens the flexing radius of the conductor and eliminates conductor creep.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	22-16 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RA18-10
Instructions and Manuals	RA18-10

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

