

PRODUCT-DETAILS

# RA18-8FL

## INS NYL LKG FORK TERM 22-16 No8 RED



### General Information

Extended Product Type	RA18-8FL
Product ID	7TAI029820R0015
EAN	5414363934196
Catalog Description	INS NYL LKG FORK TERM 22-16 No8 RED
Long Description	Nylon Insulated Locking Fork Terminal, Length .86 Inches, Width .29 Inches, Maximum Insulation .136, Bolt Hole #8, Wire Range #22-#16 AWG, Color Red, Copper, Tin Plated, 100 Pack

### Ordering

EAN	5414363934196
UPC	786210887319
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth /	2.09 in

Length	53 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8.9 in 226 mm
Package Level 2 Height	7.3 in 185 mm
Package Level 2 Depth / Length	10.4 in 264 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	7.2 in 183 mm
Package Level 3 Height	9 in 229 mm
Package Level 3 Depth / Length	10.7 in 272 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Red
Effective Date	19770222
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Locking Fork Terminal
Special Functions	Locking fork terminals have a specially designed tongue that lets them go on like a fork and stay on like a ring.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	22-16 AWG

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RA18-8FL
Instructions and Manuals	RA18-8FL

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

