

PRODUCT-DETAILS

A18-6F

NON-INS FORK TERM 22-16 No6



General Information

Extended Product Type	A18-6F
Product ID	7TAI029580R0006
EAN	5414363935353
Catalog Description	NON-INS FORK TERM 22-16 No6
Long Description	Non-Insulated Fork Terminal, Length .72 Inches, Width .25 Inches, Bolt Hole #6, Wire Range #22-#16 AWG, Copper, Tin Plated

Ordering

EAN	5414363935353
UPC	786210802992
Country of Origin	United States (US)
Customs Tariff Number	8536904000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.63 in 41 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth / Length	2.63 in 67 mm

Package Level 2 Units	500 piece
Package Level 2 Width	8.9 in 226 mm
Package Level 2 Height	7.2 in 183 mm
Package Level 2 Depth / Length	10.5 in 267 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	5.9 in 150 mm
Package Level 3 Height	7.4 in 188 mm
Package Level 3 Depth / Length	8.7 in 221 mm

Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	19750324
Material	Copper
Product Name	ELECTRICAL TERMINAL
Product Type	Non-Insulated Fork Terminal
Special Functions	These non-insulated fork terminals are made of electrolytic copper for high conductivity. They can be installed with crimping tools having a single indenter or double indenter (recommended for solid wire). Serrated barrel increases grip on wire.
Standards	UL E9809
Voltage Rating	600 V
Wire Size	22-16 AWG

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	A18-6F
Instructions and Manuals	A18-6F

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
ETIM 8	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

