

FEATURES

- Non-slip main handle and low friction moving handle
- Provides two-hand grip in the final phase of crimping
- Full cycle crimp mechanism
- Ratchet release mechanism
- Precision eccentric adjustment
- Each tool has a unique serial number for traceability
- Durable: life span exceeds 50000 cycles
- High strength, through hardened alloy Swedish steel construction

RS PRO Plier Crimping Tool for Bootlace Ferrule

RS Stock No.: 683-1617



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

From the trusted RS PRO brand, a range of "original line" hand crimp tools for both insulated and uninsulated ferrules. The ergonomic ratchet tools produce trapeze crimps, covering a wide range of cables sizes from 0.25 mm² to 50.0 mm². Tools are suitable for both right and left-handed operation.

- Hand tool 683-1605 is for crimping ferrules with a wire size range of 0.5 mm2 to 6 mm2
- Hand tool 683-1614 is for crimping ferrules with a wire size range of 10 mm² to 25 mm²
- Hand tool 683-1617 is for crimping ferrules with a wire size range of 35 mm² to 50 mm²

General Specifications

| Crimp Tool Type | Plier |
|----------------------|--|
| Crimp Connector Type | Bootlace Ferrule |
| Crimp Profile | Trapeze -Crimp |
| Applications | Maintenance & repair, Electrical Installations, Cable assemblies |

Mechanical Specifications

| Dimensions | 230mm x 21mm x 70mm |
|-------------------|----------------------------------|
| Overall Length | 230mm/9.06" |
| Width | 21mm/0.83" |
| Height | 70mm/2.76" |
| Wire Size (mm²) | 35.0mm² -50.0mm² |
| Wire Size (AWG) | 2AWG to 0AWG |
| Life span, cycles | 50000 |
| Weight | 540g/1.19lb |
| Crimp nest | 35.0mm2 / AWG 2, 50.0mm2 / AWG 0 |


Approvals

| Standards Met | RoHS Compliant |
|---------------|----------------|









s