
# 6376042-2 - ACTIVE

TE Internal #: 6376042-2 DC Jack Connectors, Board-to-Board, 5 Position, 2.5 mm [.098 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal

### View on TE.com >

connectivity

Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: Board-to-Board

Number of Positions: 5

Centerline (Pitch): 2.5 mm [.098 in]

Connector & Housing Type: Plug

Operating Voltage: 30 VDC

# Features

Product Type Features

| Connector System                  | Board-to-Board        |
|-----------------------------------|-----------------------|
| Connector & Housing Type          | Plug                  |
| Sealable                          | No                    |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features            |                       |
| Number of Positions               | 5                     |
| PCB Mount Orientation             | Right Angle           |
| Electrical Characteristics        |                       |
| Operating Voltage                 | 30 VDC                |
| Contact Features                  |                       |
| Contact Current Rating (Max)      | 6 A                   |
| Mechanical Attachment             |                       |
| PCB Mount Retention               | With                  |
| PCB Mount Retention Type          | Locating Post         |

# 6376042-2

DC Jack Connectors, Board-to-Board, 5 Position, 2.5 mm [.098 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal



| Connector Mounting Type  | Board Mount                                     |
|--|---|
| Housing Features   |   |
| Centerline (Pitch)   | 2.5 mm[.098 in]                                 |
| Usage Conditions   |   |
| Operating Temperature Range  | -20 – 80 °C[-4 – 176 °F]                        |
| Operation/Application  |   |
| Circuit Application  | Power & Signal                                  |
| Packaging Features   |   |
| Packaging Quantity   | 504   |
| Packaging Method   | Package   |
| <b>Product Compliance</b><br>For compliance documentation, visit the product page on TE.com> |   |
| EU RoHS Directive 2011/65/EU   | Compliant                                       |
| EU ELV Directive 2000/53/EC  | Compliant                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016  | No Restricted Materials Above Threshold         |
| EU REACH Regulation (EC) No. 1907/2006   | Current ECHA Candidate List: JUNE 2022<br>(224) |

#### Halogen Content

Solder Process Capability

(224)

Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

# 6376042-2

DC Jack Connectors, Board-to-Board, 5 Position, 2.5 mm [.098 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal





# Customers Also Bought




TE Part #5787246-1 HDR ASY,RA,LKEY,STR TAIL,10.8V



TE Part #1-2600023-1

TE Part #1318574-4

4P,2MM,BRK HDR,SRRT,2.8,0.76AU, BOX



# Documents

Product Drawings

PLUG ASSY, PB-FREE, 2.5MM PITCH BATTERY CO

English

# **CAD** Files

**Customer View Model** 

ENG\_CVM\_CVM\_6376042-2\_A.2d\_dxf.zip

English

3D PDF

**C** For support call+1 800 522 6752

# 6376042-2

DC Jack Connectors, Board-to-Board, 5 Position, 2.5 mm [.098 in] Centerline, Plug, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal



3D

Customer View Model ENG\_CVM\_CVM\_6376042-2\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_6376042-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

POWER\_CONNECTORS\_CATALOG\_SEC09\_LAPTOPS\_PORTABLES

English

## 2\_PIECE\_POWER\_CONNECTORS\_qrg\_4-1773458-1

English

**Product Specifications** 

Application Specification

English

Product Environmental Compliance MD\_6376042-2\_121220161156\_dmtec

English

MD\_6376042-2\_121220161156\_dmtec

English