

2311586-5 ✓ ACTIVE


TE Internal #: 2311586-5

PCB D-Sub Connectors, Receptacle, Wire-to-Board, 15 Position,
2.29 mm [.09 in] Centerline, 3 Row, Size 1, Round Socket, Standard
Profile, Right Angle

[View on TE.com >](#)



Connectors > D-Shaped Connectors > D-Sub Connectors > PCB D-Sub Connectors > D-Sub Receptacle Assembly: Right Angle, 2.29mm



Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **15**

Centerline (Pitch): **2.29 mm [.09 in]**

Number of Rows: **3**

[All D-Sub Receptacle Assembly: Right Angle, 2.29mm \(7\)](#)

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
D-Sub Shell Size	1
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Product Type	Connector

Configuration Features

Number of Positions	15
Number of Rows	3
PCB Mount Orientation	Right Angle

Body Features

Connector Profile	Standard
-------------------	----------

Contact Features



Contact Shape & Form	Round Socket
----------------------	--------------

Contact Current Rating (Max)	3 A
------------------------------	-----

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
---	-----------------------

Mechanical Attachment

PCB Mount Retention	With
---------------------	------

PCB Mount Retention Type	Boardlock
--------------------------	-----------

Mating Retention	With
------------------	------

Mating Retention Type	Threaded Inserts, 4-40 UNC
-----------------------	----------------------------

Connector Mounting Type	Board Mount
-------------------------	-------------

Mounting Angle	Right Angle
----------------	-------------

Housing Features

Centerline (Pitch)	2.29 mm [.09 in]
--------------------	------------------

Housing Material	PA 9T GF
------------------	----------

Housing Color	Blue
---------------	------

Dimensions

Row-to-Row Spacing	1.98 mm [.077 in]
--------------------	-------------------

Usage Conditions

Operating Temperature Range	-55 – 85 °C [-67 – 185 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Compliant with Exemptions
-----------------------------	---------------------------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224)
--	--



SVHC > Threshold:

Pb (2% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2311775-1
AMPL PLUG, HD22, R/A, 15P, S/L



TE Part # 2311586-1
AMPL REC, HD22, R/A, 15P, S/L

Customers Also Bought




TE Part #T4062113004-005
RPC-M8-4MS-5.0SH-M8-4FS-PVC



TE Part #770969-2
06P MINI UMNL R/A HDR ASSY AU



TE Part #C750743001
RAY-103-3.0(100)



TE Part #284391-2
TERMI-BLOK PCB SIDE ENTRY STAC



Documents

Product Drawings

AMPL REC, HD22, R/A, 15P, THREADED, BLUE

English

CAD Files

Customer View Model

ENG_CVM_CVM_2311586-5_B2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2311586-5_B2.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2311586-5_B2.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English