
3-6609956-3 <

TE Internal #: 3-6609956-3 Multi-Function Inlet Filters, Interconnection Block, Single AC Voltage Input, No Switch, None, Vertical, 10 A, Flanged, IEC Input, . 187" FASTON Output

View on TE.com >



EMI & EMC Solutions > EMI Filters > Multi-Function Inlet Filters



Filter Type: Interconnection Block Input Voltage Selection: Single AC Voltage Filter Switch Type: No Switch Filter Shield Type: None

Mount Angle: Vertical

Features

Product Type Features

Filter Type	Interconnection Block
Filter Switch Type	No Switch
Filter Input Termination Type	IEC
Filter Output Termination Type	.187" FASTON
Filtering Requirements	Filtered
Configuration Features	
Fuse Options	Dual
Electrical Characteristics	
Input Voltage Selection	Single AC Voltage
Leakage Current (Max) (120VAC, 60Hz)	2 μΑ
Leakage Current (Max) (250VAC, 50Hz)	5 μΑ
Filter Current Rating	10 A
Voltage Rating (Max)	115 VAC, 230 VAC
Body Features	

C For support call+1 800 522 6752

3-6609956-3

Multi-Function Inlet Filters, Interconnection Block, Single AC Voltage Input, No Switch, None, Vertical, 10 A, Flanged, IEC Input, .187" FASTON Output



Filter Shield Type	None
Mechanical Attachment	
Mount Angle	Vertical
Filter Mount Style	Flanged
Dimensions	
Panel Thickness Range	.03 – .08 mm[.79 – 2 in]
Usage Conditions	
Operating Temperature Range	-10-40 °C
Operation/Application	
For Use With	P Series
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022

Halogen Content

Solder Process Capability

(224)

Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

3-6609956-3

Multi-Function Inlet Filters, Interconnection Block, Single AC Voltage Input, No Switch, None, Vertical, 10 A, Flanged, IEC Input, .187" FASTON Output





Documents

Product Drawings PE000DBX0=C4947

English

CAD Files Customer View Model ENG_CVM_3-6609956-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_3-6609956-3_A.3d_stp.zip

English

Customer View Model

ENG_CVM_3-6609956-3_A.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1654250-1_CORCOM_EMI_RFI_QRG

English